

XBeach WTI2017, revision 5258

quality status report

Revision: 5258

September 26, 2017

XBeach WTI2017, revision 5258

Published and printed by:

Deltares
Rotterdamseweg 185
p.o. box 177
2600 MH Delft
The Netherlands

telephone: +31 88 335 85 85
fax: +31 88 335 85 82
e-mail: info@deltares.nl
www: <http://www.deltares.nl>

For support contact:

telephone: +31 88 335 85 55
fax: +31 88 335 81 11
e-mail: xbeach@deltares.nl
www: <http://www.xbeach.org/>

Copyright © 2017 Deltares

All rights reserved. No part of this document may be reproduced in any form by print, photo print, photo copy, microfilm or any other means, without written permission from the publisher: Deltares.

Contents

1	Introduction	1
2	Requirements for advanced dune safety assessment	3
2.1	Skill comparison between releases	4
3	1D Hydrodynamics	7
3.1	Long wave propagation	7
3.2	1D wave runup (analytical solution)	8
3.3	High- and low-frequency wave transformation	9
4	Dune erosion	11
4.1	Large scale laboratory tests	11
4.1.1	M1797: Delta Flume 1981	11
4.1.2	M1263 III: Delta Flume 1980-1981	12
4.1.3	LIP11D: Delta Flume 1994	15
4.1.4	H4357: Delta Flume 2006	15
4.1.5	Grosse Wellen Kanal 1986	18
4.1.6	Grosse Wellen Kanal 1998	21
4.2	Small scale laboratory tests	23
4.2.1	M1263 I: Wind Flume 1974-1975	23
4.2.2	M1263 II: Wind Flume 1976-1977	40
4.2.3	M1819 I: Scheldt Flume 1981	46
4.2.4	H4265: Scheldt Flume 2003	58
4.3	Field measurements	61
4.3.1	1976 storm surge	61
5	Scour and revetments	65
5.1	Small scale laboratory tests with revetments	65

5.1.1	M1819 III: Scheldt Flume 1981	65
5.2	Large scale laboratory tests with revetments	66
5.2.1	M1797: Deltaflume 1981	66
5.2.2	H298: Deltaflume 1986	67
5.2.3	H4731: Deltaflume 2006	68
6	Model comparison	71
6.1	Field applications	71
6.1.1	Retreat distances JARKUS	71
7	References	73
A	Model Performance Statistics	75
A.1	Introduction	75
A.2	MPS parameters	75
A.3	Mean Error & Standard Deviation	76
A.4	Correlation coefficient	76
A.5	Relative Bias	76
A.6	Scatter Index	76
A.7	Brier Skill Score	76
A.8	Brier Skill Score (Murphy and Epstein, 1989)	77

Chapter 1

Introduction

For the WTI2017 project, one of the deliverables is a new version of the XBeach model, intended for use as an advanced dune safety assessment model. This report describes the requirements for a 1 dimensional advanced dune safety assessment model and tries to show that XBeach meets those requirements. The latter is done by comparing the model results to measurements, either taken during laboratory experiments or in the field.

Chapter 2

Requirements for advanced dune safety assessment

An advanced dune safety assessment is performed when a detailed assessment is considered unsuitable for a certain location or stretch of dune coast. In general, the morphological behaviour at those locations is significantly influenced by physical processes that are lacking in the detailed assessment model (a 1-dimensional profile model), hence the need for a more in-depth advanced assessment. This is the case for approximately 40% of the dutch coastline. The most common causes are listed below:

- **Flat profile slopes** Very flat beach and foreshore slopes are often gentler than the resulting profile of the detailed safety assessment, so no dune erosion is predicted. However, in practice the presence of long waves does cause dune erosion.
- **Irregular profiles** Profiles containing pronounced irregular features like banks or gullies present a problem for the detailed safety assessment model, which imposes a prescribed shape on the final profile.
- **Hybrid sea defenses** These sea defenses consist partly of sand and partly of a hard structure. (for instance sea walls, dune (foot) revetments, dikes with dunes in front).
- **Hard objects** In particular at coastal cities there are often hard objects present on or in front of the sandy sea defense, while not functionally being part of the sea defense. These objects can however have an influence on the morphological behaviour of the sandy sea defense during storm conditions.
- **Time varying storm surge** At locations with a relatively small first dune row, that might fail during design conditions, time varying storm conditions become essential for a proper assessment.

The moment of failure in view of the total storm influences the probability of inundation of the dune area or hinterland.

In the table below, the functional requirements to the WTI2017 version of XBeach are summarized and translated into physical processes the model should be able to resolve successfully.

Table 2.1: Translation of functional requirements into physical processes

Functional requirement	Physical process
Dune erosion	hydrodynamics, morphodynamics
Gentle slopes	long waves
Irregular profile shapes (banks & gullies)	process based model (no prescribed final profile)
Structures & objects	hard layers, scour holes
Realistic storm forcing	time varying storm surge & wave forcing

The WTI2017 version of XBeach is supposed to be a solution to the above mentioned problems. To be able to show that XBeach is capable of doing so, the model results will be compared to large and small scale laboratory measurements and field data. Before doing this, the required functionalities have to be translated in to measurable physical aspects, on which the comparison will be made. This is shown in the table below, including the availability of measurements for comparison on each aspect.

Table 2.2: Overview of relevant physical processes in dune safety assessment

Physical aspect	Experimental (small scale)	Experimental (large scale)	Field observations
Hydrodynamics			
Water levels		✓	
Wave heights		✓	
Velocities	✓	✓	
Morphology			
Erosion volume	✓	✓	✓
Erosion profile	✓	✓	✓
Sediment concentration		✓	
Hard layers/structures	✓	✓	✓
Scour holes		✓	

2.1 Skill comparison between releases

In the table below, the Brier Skill Scores for the final profile of several different tests are summarized. The scores at the time of the Easter release of XBeach (April 6th, 2012) are compared to the scores of the current WTI2017 release, to show the skill development between those two releases. Some of the tests have been added to the skillbed after the Easter release, so the BSS of the Easter release for those tests is not available, which is indicated by a score of 0 in the table.

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Chapter 3

1D Hydrodynamics

The hydrodynamics form the basis for the morphodynamic behaviour. In this chapter the hydrodynamic results of XBeach are discussed. All tests are run without the morphological module and the analysis is focused on the wave propagation and transformation computed by XBeach.

First, two analytical solutions are reproduced by XBeach. Subsequently, a laboratory experiment is discussed.

3.1 Long wave propagation

The purpose of this test is to check if the NSWE numerical scheme is not too dissipative and that it does not create large errors in propagation speed.

A long wave with a small amplitude of $0.01m$ and period of $80s$ was sent into a domain of $5m$ depth, grid size of $5m$ and a length of $1km$. At the end, a fully reflecting wall is imposed. The wave length in this case should be $\sqrt{g \cdot d} \cdot T = \sqrt{9.81 \cdot 5} \cdot 80 = 560m$. The velocity amplitude should be $\sqrt{gh} \cdot A = \sqrt{9.815} \cdot 0.01 = 0.014m$. After the wave has reached the wall, a standing wave with double amplitude should be created.

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 3.1: Water levels and velocities from the start of the experiment until the wave just reaches the end of the flume

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 3.2: Snapshots of water levels and velocities showing a standing wave pattern

3.2 1D wave runup (analytical solution)

The purpose of this test is to check the ability of the model to represent runup and rundown of non-breaking long waves. To that end, a comparison was made with the analytical solution of the NSW by Carrier and Greenspan (1958), which describes the motion of harmonic, non-breaking long waves on a plane sloping beach without friction.

A free long wave with a wave period of 32 seconds and wave amplitude of half the wave breaking amplitude ($a_{in} = 0.5 \cdot a_{br}$) propagates over a beach with constant slope equal to 125. The wave breaking amplitude is computed as $a_{br} = 1\sqrt{128} \cdot \pi^3 \cdot s^{2.5} \cdot T^{2.5} \cdot g^{1.25} \cdot h_0^{-0.25} = 0.0307m$, where s is the beach slope, T is the wave period and h_0 is the still water depth at

the seaward boundary. The grid is non uniform and consists of 160 grid points. The grid size Δx is decreasing in shoreward direction and is proportional to the (free) long wave celerity ($\sqrt{g \cdot h}$). The minimum grid size in shallow water was set at $\Delta x = 0.1m$.

To compare XBeach output to the analytical solution of Carrier and Greenspan (1958), the first are non-dimensionalized with the beach slope s , the acceleration of gravity g , the wave period T , a horizontal length scale L_x and the vertical excursion of the swash motion A . The horizontal length scale L_x is related to the wave period via $T = \sqrt{L_x g \cdot s}$ and the vertical excursion of the swash motion A is expressed as: $A = a_{in} \cdot \pi \sqrt{0.125 \cdot s \cdot T \cdot \sqrt{gh_0}}$

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 3.3: Snapshots of water level and velocity

3.3 High- and low-frequency wave transformation

Boers (1996) performed experiments with irregular waves in the physical wave flume at Delft University of Technology with a length of 40 meters and a width of 0.8 m. The flume is equipped with a hydraulically driven, piston type wave generator with second-order wave generation and Active Reflection Compensation. Boers ran waves over a concrete bar-trough beach, which was modelled after the Delta Flume experiments. He ran three different irregular wave conditions, but in this report we will focus on case 1C, a Jonswap spectrum with $H_{m,0} = 0.1m$ and $T_p = 3.3s$. The surface elevation was measured in 70 locations shown in Figure 3.4.




Figure 3.4: Locations of surface elevation measurements

The comparison between the model and the data for the wave height transformation of the short waves and the long waves (defined as waves with a frequency greater than $f_p/2$ and less than $f_p/2$, respectively) is shown in Figure 3.5.

The red dashed line and triangles indicate the short wave height transformation. The blue line and circles indicate the mean (steady) set-up. The dotted red line and upside-down triangles indicate the total (incoming and reflected) low frequency wave.

The observational data is separated into incoming and reflected long wave components using an array of wave gauges (Bakkenes, 2002) and the numerical data has been separated into two components using co-located surface elevation and velocity information.

**These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.**

Figure 3.5: Wave height transformations during Boers 1C experiment

Chapter 4

Dune erosion

In this chapter, the performance of XBeach is compared to results obtained from physical model tests performed in a variety of laboratory facilities and field measurements. Many of those tests are part of fundamental research to dune erosion and other morphological processes. Research took place on different scales, mainly depending on the size of the facility used. The chapter separately discusses small scale laboratory tests (with a depth scale factor n_d between 85 and 15), large scale laboratory tests (n_d between 6 and 2, approaching prototype) and field measurements.

As described in the previous chapter, the relevant skill parameters for accurately predicting dune erosion are the post-storm cross-shore profile, the total eroded volume and the sediment concentration near the water line. For all scales mentioned above, an example will be described in more detail, after which an overview of the performance of all available tests will be presented.

4.1 Large scale laboratory tests

4.1.1 M1797: Delta Flume 1981

In 1981, Delta Flume experiments were performed to gain insight in the effect of a dune revetment on the morphological behaviour of the dune. The profile in question is based on a stretch of coast called the Noorderstrand at Schouwen, the Netherlands (Vellinga, 1981a). Two large scale experiments (depth scale of 2) were performed, one with and one without dune revetment. The latter is depicted in Figure 4.1.

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 4.1: Final profile of test T01

4.1.2 M1263 III: Delta Flume 1980-1981

As a continuation of parts I and II of the M1263 experiment series, large scale tests (depth scales between 1 and 5) were performed in the Delta Flume(Vellinga, 1984), with the goal of verifying the relations found at smaller scales. The test result are shown in Figure 4.2 to Figure 4.6.

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 4.2: Final profile of test 1

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.3: Final profile of test 2

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.4: Final profile of test 3

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.5: Final profile of test 4

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.6: Final profile of test 5

4.1.3 LIP11D: Delta Flume 1994

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.7: Final profile of test 2e

4.1.4 H4357: Delta Flume 2006

The 2006 Delta Flume experiments were performed to assess the effect of wave period on dune erosion (Van Gent et al., 2008). The tests were performed at a depth scale of 6 and with both Pierson-Moskowitz and double-peaked (DP01 and DP02) wave spectra. Results are shown in Figure 4.8 to Figure 4.13.

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.8: Final profile of test T01

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.9: Final profile of test T02

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.10: Final profile of test T03

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.11: Final profile of test T04

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.12: Final profile of test DP01

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.13: Final profile of test DP02

4.1.5 Grosse Wellen Kanal 1986

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.14: Final profile of test T01

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.15: Final profile of test T02

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.16: Final profile of test T03

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.17: Final profile of test T04

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.18: Final profile of test T05

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.19: Final profile of test T06

4.1.6 Grosse Wellen Kanal 1998

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.20: Final profile of test A9

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.21: Final profile of test B2

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.22: Final profile of test C2

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.23: Final profile of test F1

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.24: Final profile of test H2

4.2 Small scale laboratory tests

4.2.1 M1263 I: Wind Flume 1974-1975

The results depicted in Figure 4.25 to ?? were part of a series of experiments performed during 1974 and 1975 in the Wind Flume of Laboratory De Voorst in The Netherlands (Van de Graaff, 1976). During the experiments, depth scales of 84, 47 and 26 were used.

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.25: Final profile of test AT33

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.26: Final profile of test AT47

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.27: Final profile of test AT61

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.28: Final profile of test AT71

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.29: Final profile of test AT91

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.30: Final profile of test AT95

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.31: Final profile of test BT13

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.32: Final profile of test BT15

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.33: Final profile of test BT17

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.34: Final profile of test BT23

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.35: Final profile of test BT25

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.36: Final profile of test BT27

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.37: Final profile of test BT45

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.38: Final profile of test BT62

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.39: Final profile of test BT72

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.40: Final profile of test BT92

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.41: Final profile of test BT96

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.42: Final profile of test CT14

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.43: Final profile of test CT16

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.44: Final profile of test CT18

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.45: Final profile of test CT24

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.46: Final profile of test CT26

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.47: Final profile of test CT28

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.48: Final profile of test CT46

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.49: Final profile of test CT63

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.50: Final profile of test CT73

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.51: Final profile of test CT93

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.52: Final profile of test CT97

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.53: Final profile of test DT34

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.54: Final profile of test DT48

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.55: Final profile of test DT64

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.56: Final profile of test DT74

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.57: Final profile of test DT94

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.58: Final profile of test DT98

4.2.2 M1263 II: Wind Flume 1976-1977

Figure 4.59 to Figure 4.70 depict the tests performed in part II of the M1263 experiments, also in the Wind Flume and with depth scales of 84, 47 and 26(Vellinga, 1981b).

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.59: Final profile of test 101

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.60: Final profile of test 105

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.61: Final profile of test 111

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.62: Final profile of test 115

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.63: Final profile of test 121

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.64: Final profile of test 122

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.65: Final profile of test 123

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.66: Final profile of test 124

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.67: Final profile of test 125

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.68: Final profile of test 126

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.69: Final profile of test 127

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.70: Final profile of test 128

4.2.3 M1819 I: Scheldt Flume 1981

In 1981, small scale dune erosion experiments (with a depth scale of 30) were performed in the Scheldt Flume of Laboratory De Voorst in The Netherlands (Tilmans, 1982), the results of which are shown in Figure 4.71 to Figure 4.93.

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.71: Final profile of test T01

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.72: Final profile of test T02

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.73: Final profile of test T03

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.74: Final profile of test T04

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.75: Final profile of test T05

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.76: Final profile of test T06

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.77: Final profile of test T07

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.78: Final profile of test T08

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.79: Final profile of test T09

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.80: Final profile of test T10

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.81: Final profile of test T11

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.82: Final profile of test T12

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.83: Final profile of test T13

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.84: Final profile of test T14

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.85: Final profile of test T21

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.86: Final profile of test T22

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.87: Final profile of test T23

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.88: Final profile of test T24

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.89: Final profile of test T25

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.90: Final profile of test T26

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.91: Final profile of test T27

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.92: Final profile of test T28

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.93: Final profile of test T29

4.2.4 H4265: Scheldt Flume 2003

During 2003, Scheldt Flume experiments were performed to assess the influence of the wave period on the amount of dune erosion. The tests are performed using a depth scale of 30, resulting in the profiles depicted in Figure 4.94 to Figure 4.100.

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.94: Final profile of test T01

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.95: Final profile of test T02

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.96: Final profile of test T02a

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.97: Final profile of test T03

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.98: Final profile of test T011

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.99: Final profile of test T012

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.100: Final profile of test T013

4.3 Field measurements

4.3.1 1976 storm surge

In Figure 4.101, results of an XBeach simulation are compared to measurements from the storm surge that occurred on the night of January 2nd, 1976.

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.101: Final profile of raai 568

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.102: Final profile of raai 3400

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 4.103: Final profile of raai 6050

Chapter 5

Scour and revetments

5.1 Small scale laboratory tests with revetments

5.1.1 M1819 III: Scheldt Flume 1981

The third part of the M1819 experiments contains several exploratory tests ($n_d = 15$) concerning dune revetments (Tilmans, 1983), the results of which are shown in Figure 5.1 to Figure 5.3.

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 5.1: Final profile of test T02

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 5.2: Final profile of test T03

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 5.3: Final profile of test T04

5.2 Large scale laboratory tests with revetments

5.2.1 M1797: Deltaflume 1981

Figure 5.4 depicts the Schouwen profile from the M1797 test with dune revetment (Vellinga, 1981a).

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 5.4: Final profile of test T02

5.2.2 H298: Deltaflume 1986

Steetzel (1987) describes a series of large scale experiments with revetments of different heights in the Delta Flume. A depthscale $n_d = 5$ is used for all experiments (Vellinga, 1986) and the initial profile in the flume corresponds to the reference profile for the Holland coast. The location of the top of the revetment varied in each experiment, as can be seen in Figure 5.5 to Figure 5.7.

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 5.5: Final profile of test 1

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 5.6: Final profile of test 2

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 5.7: Final profile of test 3

5.2.3 H4731: Deltaflume 2006

In 2006, Delta Flume large scale experiments (depth scale of 6) were performed to gage the influence of collapsing dune revetments on dune erosion (Van Gent and Coeveld, 2007). Since XBeach can only handle solid structures, the collapse of the structure is not included in the simulations. Figure 5.8 to Figure 5.9 show the last measurement before the start of the collapse of the structure.

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 5.8: Final profile of test 11

These figures and tables are generated by the automated XBeach skillbed. Something has gone wrong, so sadly no figure or table could be generated.

Figure 5.9: Final profile of test 12

Chapter 6

Model comparison

In this chapter, XBeach is compared to results obtained from other models. The comparisons are currently focused on the DUROS+ and D++ (Vellinga, 1986; Delft Hydraulics, 2006; Deltares, 2010) models that are used for the detailed assessment of dunes along the Dutch coast. Comparisons with other models like DurosTA (Steetzel, 1993) are made throughout the report and are not discussed specifically in this chapter.

6.1 Field applications

In this section, DUROS+ (Vellinga, 1986; Delft Hydraulics, 2006) and D++ are (Deltares, 2010) compared with XBeach based on field applications. Comparisons are made based on erosion volumes and retreat distances, since these are the main parameters of interest in dune safety assessment.

6.1.1 Retreat distances JARKUS

In this test, retreat distances obtained from DUROS+ and XBeach using a selection of JARKUS profiles characteristic for the Dutch coast are compared (Den Heijer et al., 2011). The comparison is presented in Figure 6.1. The retreat distance is defined as the horizontal distance between the NAP+5m contour and the erosion point. The erosion point is defined as the first diversion point between the pre-storm and post-storm profile, when going from the land side in seaward direction. Diversion is considered as a vertical difference of more than 5cm.

These figures and tables are generated by
the automated XBeach skillbed.
Something has gone wrong, so sadly no
figure or table could be generated.

Figure 6.1: Scatter plot of retreat distances obtained from XBeach and DUROS+ (blue circle) and XBeach and D++ (green cross).

Chapter 7

References

- Bakkenes, H. J. (2002). Observation and separation of bound and free low-frequency waves in the nearshore zone. Master's thesis, Delft University of Technology. 10
- Boers, M. (1996). Simulation of a surf zone with barred beach, part 1: Wave heights and wave breaking. Communications on Hydraulic and Geotechnical Engineering 69-5, Delft University of Technology. 116 p. 9
- Carrier, G. F. and Greenspan, H. P. (1958). Water waves of finite amplitude on a sloping beach. *Journal of Fluid Mechanics*, 4:97–109. 8, 9
- Delft Hydraulics (2006). Dune erosion – product 2: Large-scale model tests and dune erosion prediction method. Report H4357, Delft Hydraulics. 71
- Deltares (2010). Ontwikkeling detailtoets duinen 2011. Interim report 1202124-003, Deltares. in Dutch. 71
- Den Heijer, C., Walstra, D. J. R., Van Thiel de Vries, J. S. M., Huisman, B. J. A., Hoonhout, B. M., Diermanse, F. L. M., and Van Gelder, P. H. A. J. M. (2011). Importance of dune erosion influencing processes. *Journal of Coastal Research*, SI 64(1):283–287. ISSN 0749-0208. 71
- Murphy, A. H. and Epstein, E. S. (1989). Skill scores and correlation coefficients in model verification. *Monthly Weather Review*, 117:572–581. iv, 75, 77, 78
- Steetzel, H. J. (1987). Systematic research on the effectiveness of dune toe revetments - large scale model investigation. Technical Report H298-I, Delft Hydraulics. 67
- Steetzel, H. J. (1993). *Cross-shore transport during storm surges*. PhD thesis, Delft University of Technology. 71
- Sutherland, J., Peet, A. H., and Soulsby, R. L. (2004). Evaluating the performance of morphological models. *Coastal Engineering*, 51(8–9):917–939. 75
- Tilmans, W. M. K. (1982). Systematic research of characteristic factors of dune erosion. Technical Report M1819 part I, Delft Hydraulics. in Dutch. 46
- Tilmans, W. M. K. (1983). Exploratory research into the functioning of dune revetments during a super storm surge. Technical Report M1819 part III, Delft Hydraulics. in Dutch. 65

- Van de Graaff, J. (1976). Scale series dune erosion. Technical Report M1263 part I, Delft Hydraulics. in Dutch. 23
- Van Gent, M. R. A. and Coeveld, E. M. (2007). Influence of collapsed revetments on dune erosion. Technical Report H4731, Delft Hydraulics. 68
- Van Gent, M. R. A., Van Thiel de Vries, J. S. M., Coeveld, E. M., De Vroeg, J. H., and Van de Graaff, J. (2008). Large-scale dune erosion tests to study the influence of wave periods. *Coastal Engineering*, 55(12). 15
- Van Rijn, L. C., Walstra, D. J. R., Grasmeijer, B., Sutherland, J., Pan, S., and Sierra, J. P. (2003). The predictability of cross-shore bed evolution of sandy beaches at the time scale of storms and seasons using process-based profile models. *Coastal Engineering*, 47(3):295–327. ISSN 0378-3839. 77, 78
- Vellinga, P. (1981a). The functioning of dune revetments during a super storm surge. Technical Report M1797, Delft Hydraulics. in Dutch. 11, 66
- Vellinga, P. (1981b). Scale series dune erosion. Technical Report M1263 part II, Delft Hydraulics. in Dutch. 40
- Vellinga, P. (1984). Scale series dune erosion: Large scale tests in deltaflume. Technical Report M1263 part III, Delft Hydraulics. in Dutch. 12
- Vellinga, P. (1986). *Beach and Dune Erosion during Storm Surges*. PhD thesis, Delft University of Technology. 67, 71

Appendix A

Model Performance Statistics

A.1 Introduction

In this Appendix the theory behind the Model Performance Statistics (MPS) used in the XBeach skillbed is explained. The MPS are used to quantify the performance of model results based on a comparison with measurement data. Different MPS parameters are used as each parameter has its own characteristics.

First an overview is given of the MPS parameters used in the XBeach skillbed, summarized in table form including some basic characteristics. Consequently, each MPS parameters listed in the overview table is further explained in separate sections.

A.2 MPS parameters

An overview of the MPS parameters used in the XBeach skillbed is given in Table A.1.

Table A.1: MPS parameters

Parameter	Description	Ranges
ME & STD	Mean Error & Standard Deviation	0: perfect prediction
R	Correlation coefficient (range: [0 1])	1: perfect correlation
Rel. bias	Systematic error relative to the mean	low value: good performance
Sci	Scatter Index	low values: performance
BSS	Brier Skill Score (Sutherland et al., 2004)	see below
BSS	Brier Skill Score (Murphy and Epstein, 1989)	see below

Each parameter listed in the table is further explained in the following paragraphs.

A.3 Mean Error & Standard Deviation

The Mean Error (ME) and the Standard Deviation (STD) of the error of a timeseries are a useful measure to quantify model performance for parameters such as wave heights or water levels. The SD is in general not so useful when applied to morphological parameters such as the bed level evolution.

$$ME = \frac{1}{N} \sum_{i=1}^N (f_{comp.,i} - f_{meas.,i}) \quad (A.1)$$

$$STD = \sqrt{\frac{1}{N-1} \sum_{i=2}^N (f_{comp.,i} - f_{meas.,i} - ME)^2} \quad (A.2)$$

A.4 Correlation coefficient

The Correlation Coefficient R is a measure quantifying the correlation of the measurements and simulation results, but does not indicate significance because the distributions of the series are not taken into account.

A.5 Relative Bias

The Relative Bias (Rel. Bias) is the systematic error relative to the mean. Relative low values of the mean can cause high vales of the Rel. Bias.

$$Rel.Bias = \frac{\sum_{i=1}^N (f_{comp.,i} - f_{meas.,i})}{\sum_{i=1}^N \bar{f}_{meas.}} \quad (A.3)$$

A.6 Scatter Index

The Scatter index (Sci) is the standard deviation relative to the mean value of the measured signal. Relative low values of the mean can cause high vales of the Sci.

$$Sci = \frac{\sqrt{\frac{1}{N-1} \sum_{i=2}^N (f_{comp.,i} - f_{meas.,i} - ME)^2}}{\bar{f}_{meas.}} \quad (A.4)$$

A.7 Brier Skill Score

The Brier Skill Score (BSS) calculates the performance of the performance relative to a baseline prediction. The BSS calculates the mean square difference between the prediction

and observation with the mean square difference between baseline prediction and observation.

$$BSS = 1 - \frac{\frac{1}{N} \sum_{i=1}^N (z_{b,c} - z_{b,m})^2}{\frac{1}{N} \sum_{i=1}^N (z_{b,0} - z_{b,m})^2} \quad (\text{A.5})$$

where $z_{b,c}$ is the computed bottom, $z_{b,m}$ is the measured bottom and $z_{b,0}$ is the initial bottom (variables taken at each cross-shore coordinate i).

Perfect agreement gives a Brier score of 1, whereas modelling the baseline condition gives a score of 0. If the model prediction is further away from the final measured condition than the baseline prediction, the skill score is negative. Van Rijn et al. (2003) proposed a classification for the Brier Skill Score as shown in Table A.2.

The BSS is very suitable for the prediction of bed evolution. The baseline prediction for morphodynamic modelling will usually be that the initial bed remains unaltered. In other words, the initial bathymetry is used as the baseline prediction for the final bathymetry. A limitation of the BSS is that it cannot account for the migration direction of a bar; it just evaluates whether the computed bed level (at time t) is closer to the measured bed level (at time t) than the initial bed level. If the computed bar migration is in the wrong direction, but relatively small; this may result in a higher BSS compared to the situation with bar migration in the right direction, but much too large. The BSS will even be negative, if the bed profile in the latter situation is further away from the measured profile than the initial profile. The limitation shown here is that position and amplitude errors are included in the BSS. Distinguishing position errors from amplitude errors, requires a visual inspection of measured and modelled profiles or the calculation of further statistics (Murphy and Epstein, 1989). The BSS can be extremely sensitive to small changes when the denominator is low, in common with other non-dimensional skill scores derived from the ratio of two numbers.

Table A.2: Brier Skill Score quantification (Van Rijn et al., 2003)

Qualification	Brier Skill Score
Excellent	1.0 - 0.8
Good	0.8 - 0.6
Reasonable fair	0.6 - 0.3
Poor	0.3 - 0.0
Bad	<0.0

A.8 Brier Skill Score (Murphy and Epstein, 1989)

Murphy and Epstein (1989) decomposed the BSS, leading to contributions due to errors in predicting the amplitude (α), the phase (β) and the mean (γ) as presented in Table A.3. The decomposition facilitates linking performance quantifications to model processes and accordingly bringing the model performance to a higher level.

$$BSS = \frac{\alpha - \beta - \gamma + \epsilon}{1 + \epsilon} \quad (\text{A.6})$$

$$\alpha = r_{Y',X'}^2; \beta = (r_{Y',X'} - \frac{\sigma_{Y'}}{\sigma_{X'}})^2; \gamma = (\frac{\langle Y' \rangle - \langle X' \rangle}{\sigma_{X'}})^2; \epsilon = \frac{\langle X' \rangle^2}{\sigma_{X'}} \quad (\text{A.7})$$

Table A.3: Brier Skill Score decomposition factors (Murphy and Epstein, 1989)

Factor	Indication	Perfect modelling
phase error (α)	transport locations	$\alpha = 1$
amplitude error (β)	transport volumes	$\beta = 0$
map mean error (γ)	-	$\gamma = 0$
normalization term (ϵ)	-	-

Van Rijn et al. (2003) also proposed a classification for the decomposed Brier Skill Score as shown in Table A.4.

Table A.4: Brier Skill Score (Murphy and Epstein, 1989) quantification (Van Rijn et al., 2003)

Qualification	Brier Skill Score
Excellent	1.0 - 0.5
Good	0.5 - 0.2
Reasonable fair	0.2 - 0.1
Poor	0.1 - 0.0
Bad	<0.0